

# **GOLD STANDARD FOR THE GLOBAL GOALS RENEWABLE ENERGY ACTIVITY REQUIREMENTS**

**Version 1 – Published July 2017**

## **Table of Contents**

PREFACE  
INTRODUCTION  
1.0 GENERAL ELIGIBILITY CRITERIA  
2.0 GOLD STANDARD FOR THE GLOBAL GOALS – APPLIED ELIGIBILITY PRINCIPLES  
ANNEX A – ADDITIONAL CRITERIA for SPECIFIC RENEWABLE ENERGY PROJECT TYPES

## **GOLD STANDARD FOUNDATION VISION & MISSION**

**OUR VISION:** Climate security and sustainable development for all.

**OUR MISSION:** To catalyse more ambitious climate action to achieve the Global Goals through robust standards and verified impacts.

|                      |  |
|----------------------|--|
| Status of Document:  | Version 1.1 – Effective 1 <sup>st</sup> March 2018   |
| Language:            | English  |
| Contact Details:     | <a href="mailto:help@goldstandard.org">help@goldstandard.org</a><br><a href="http://www.goldstandard.org">www.goldstandard.org</a> |
| Next planned update: | 02 <sup>nd</sup> September 2019  |

## **PREFACE**

This Requirements document, hereafter “the RE Activity Requirements”, provides the pathway to certification within the Gold Standard for the Global Goals for Renewable Energy activities to certify the project design and/or issue GS Certified Impact Statements and Products.

The RE Activity Requirements document is designed to be read in conjunction with the Gold Standard for the Global Goals [Principles & Requirements](#) and

associated documents. Through conformity to these two documents and relevant [Gold Standard Approved Methodologies](#) and [Product Requirements](#) (for e.g. Gold Standard for the Global Goals [GHG Emissions Reductions & Sequestration Product Requirements](#), Gold Standard for the Global Goals [Renewable Energy Label Product Requirements](#) etc.), a Project may be issued with Gold Standard Renewable Energy Labels, Gold Standard VERs etc.

The Requirements is intended to provide Renewable Energy Project Developers with necessary guidelines and requirements for Gold Standard Certification. .

A list of Renewable Energy technologies eligible for Gold standard certification is included in the Requirements.

## **INTRODUCTION**

All Renewable Energy Projects for which Gold Standard certification is being sought shall fulfill the requirements as set out in this document and those referenced or associated.

In order to maintain the integrity of the standard, Gold Standard reserves the right to issue updates and changes, clarifications or corrections to its requirements. Typically, this will involve a notice period and guidance will be provided on how to apply the new rules and requirements. Likewise, the Gold Standard reserves the right to require additional information and evidence to be supplied by the Project Developer.

## **1.0 GENERAL ELIGIBILITY CRITERIA**

### **1.1 Eligible Project Types & Scope**

1.1.1 In order to be eligible for certification, Gold Standard Renewable Energy Projects must meet the following Eligibility and Criteria:

- (a) Project shall generate and deliver energy services (e.g. mechanical work/electricity/heat) from non-fossil and renewable energy sources
- (b) Project shall comprise of renewable energy generation units, such as photovoltaic, tidal/wave, wind, hydro, geothermal, waste to energy and renewable biomass:
  - Supplying energy to a national or a regional grid; or
  - Supplying energy to an identified consumer facility via national/regional grid through a contractual agreement such as wheeling.
- (c) Project supplying electricity to a mini-grid<sup>[1]</sup> shall refer to Gold Standard [Community Services Activity Requirements](#).
- (d) Projects generating on-site energy for captive consumption at an industrial facility shall refer the requirements in this document.

1.1.2 For specific Renewable Energy project types like Hydropower, projects using biomass resources etc., additional eligibility criteria are prescribed in Annex A (Additional criteria for specific renewable energy project types) of this document

1.1.3 In relation to the above all Projects must therefore conform to the following documents:

(a) Gold Standard for the Global Goals [Principles & Requirements](#) (and associated documents) AND

(b) Gold Standard Renewable Energy Activity Requirements

1.1.4 In addition, for those Projects seeking to be able to issue both Renewable Energy Labels and VERs the requirements in following documents shall also be met:

(a) [Gold Standard Approved Methodologies](#) for Emissions Reductions

(b) Gold Standard for the Global Goals GHG Emissions Reductions & Sequestration Product Requirements

(c) Gold Standard Renewable Energy Label Product Requirements

## **1.2 General Eligibility Criteria**

1.2.1 **Types of project:** Eligible projects shall include physical action/implementation on the ground. Pre-identified eligible project types are mentioned in Eligibility Criteria Section above.

1.2.2 **Location of project:** Eligible projects may be located in any part of the world. Hydropower projects may not be located in HCV areas. Please refer to annex A for further information on hydropower projects.

1.2.3 **Project Area, Boundary and Scale:** Project Area and Boundary shall be defined in line with the applicable Methodologies or product Requirements. The following scale categories are allowed:

Microscale –

(a) RE project issuing emission reductions less than equal to 10,000 tCO<sub>2</sub>eq

(b) RE project seeking any product other than emission reductions with installed capacity less than equal to 2 MW<sub>el</sub> / 6 MW<sub>th</sub>

Non microscale –

(a) RE project issuing emission reductions greater than 10,000 tCO<sub>2</sub>eq

(b) RE project seeking any product other than emission reductions with installed capacity greater than 2 MW<sub>el</sub> / 6 MW<sub>th</sub>

1.2.4 For the purpose of applying UNFCCC methodologies for quantification of GHG reductions, 'small scale' is defined as Renewable Energy Project with installed capacity less than equal to 15 MW<sub>el</sub> or 45 MW<sub>th</sub>.

1.2.5 In certain cases Gold Standard methodologies allow for a Suppressed Demand baseline scenario to be assumed. In such cases, the application of Suppressed Demand baseline is limited to Small Scale Projects. Where a Suppressed Demand baseline is applied, it is not possible to 'stack' Gold Standard Certified SDG Impact Statements or Products as the definition of baseline may be contradictory.

## **2.0 GOLD STANDARD FOR THE GLOBAL GOALS – APPLIED ELIGIBILITY PRINCIPLES**

This section describes the additional requirements and/or deviations Gold Standard for the Global Goals [Principles & Requirements](#). These Additional Requirements shall be met for the Renewable Energy project to achieve Gold Standard certification.

The Certification cycle for Renewable Energy projects is as detailed in Gold Standard for the Global Goals [Principles & Requirements](#). Upon successful certification, the Renewable Energy Projects successfully completing Performance Certification shall be issued with a project-level Gold Standard Certified Project level statement as per the Gold Standard [Claims Guidelines](#), along with a number of Certified SDG Impacts corresponding to the eligible Renewable Energy Products successfully certified.

Certified SDG Impacts can be stacked for a single Renewable Energy project, however, there can be additional requirements based on Product Requirements and such requirements should be applied and will supersede the generic requirements stated in this document. For instance, GSVER and REC labels cannot be stacked for the same MWh, however, other product stacking maybe permitted based on the relevant product Requirements.

### **2.1 Principle 1 – Contribution to Climate Security & Sustainable Development**

2.1.1 Projects shall make positive contributions to a minimum of 3 Sustainable Development Goals

2.1.2 One of the positive contributions shall mandatorily concern SDG 13 (Climate Action) while the other two contributions can be proposed by the Project Developer. It is recommended to include contribution to SDG 7 (Affordable and Clean Energy) as one of the other 2 contributions.

### **2.2 Principle 2 – Safeguarding Principles**

2.2.1 Project developers shall conduct a Safeguarding Principles Assessment and conform to Gold Standard for the Gold Standard [Safeguarding Principles & Requirements](#).

## 2.3 Principle 3 – Stakeholder Inclusivity

2.3.1 Renewable Energy projects shall identify and engage relevant stakeholders and seek expert stakeholder input where necessary in the design, planning and implementation. Specific stakeholder consultation requirements for hydropower projects/renewable biomass based projects are given in Annex A of this document.

## 2.4 Principle 4 – Demonstration of Real Outcomes

2.4.1 The definition of start date is as per Gold Standard for Global Goals [Principles & Requirements](#), including for Retroactive Project Design Certification (under which a Project must achieve this status within two years of its start date).

2.4.2 Projects may receive Issuance of Certified Impact Statements or Products for a maximum of three Certification Renewal Cycles i.e., a total of 15 years Issuance. Product Requirements with specific requirements for total issuance period shall supersede information in this document.

2.4.3 Certification Renewal in the case of RE projects is mandatory every 5 years ad per as per the Gold Standard for the Global Goals [Principles & Requirements](#)

2.4.4 An eligible, GS-Approved VVB shall validate or verify Gold Standard Renewable Energy Projects as per Gold Standard [Validation & Verification Body Requirements](#).

## 2.5 Principle 5 – Financial Additionality & Ongoing Financial Need

2.5.1 Projects seeking the issuance of Impact Statements or Products (for example GSVERs) shall demonstrate financial additionality and Ongoing Financial Need in accordance with the Gold Standard for the Global Goals [Principles & Requirements](#) and following product specific requirements.

2.5.2 Unless mentioned otherwise in Product Requirements, the projects shall follow the additionality requirements specified under section 3.5.1 of the Gold Standard for the Global Goals [Principles & Requirements](#) document.

### 2.5.3 Microscale

Micro scale projects that meet any one of the criteria defined below (and meet the eligibility requirements) shall be deemed additional:

(a) The project is located in a Least Developed Country (LDC), Small Island Developing States (SIDS) or Land Locked Developing Country (LLDC)<sup>[2]</sup> The project is located in a special underdeveloped zone of the host country identified by the Government. Project developers shall refer to the list published on UNFCCC website (<http://cdm.unfccc.int/DNA/submissions/index.html>)

(b) The project is located in any host country or part of host country different from those defined above but PDs can demonstrate that project implementation will essentially benefit poor communities. No specific definition of 'poor communities' is pre-established. The international or national definitions to define populations below poverty line can serve as the basis to assess the eligibility of the targeted communities. PDs shall seek approval from The Gold Standard on the basis of a formal request providing detailed arguments as to how the activity will benefit poor communities.

(c) The project feeds electricity into the regional or national high voltage grid if convincing evidence can be provided to demonstrate that the implementation of the project will significantly improve electricity access for the local communities, households or SMEs.

(d) The project employs solar technologies (Photovoltaic and solar thermal electricity generation), off-shore wind, marine technology, household rooftop wind turbine of size upto 100 kW or biomass integrated gasification combined cycle. Other specific renewable energy technologies or measures recommended by the host country DNA and approved by the CDM EB (<http://cdm.unfccc.int/DNA/submissions/index.html> ) OR approved by The Gold Standard Foundation as part of positive list.

2.5.4 In case the deemed additionality criteria are also valid at the time of renewal of Crediting Period the ongoing needs assessment is deemed to be met. The baseline shall be reassessed at the time of crediting period renewal.

## **ANNEX A – ADDITIONAL CRITERIA FOR SPECIFIC RENEWABLE ENERGY PROJECT TYPES**

The following sections outlines the additional eligibility criteria for specific project types.

### **Hydropower project activity**

1. Hydropower project activities located in High Conservation Value (HCV)<sup>[3]</sup> areas shall NOT be eligible under The Gold Standard. Project Developers must assess whether their activity takes place in such a High Conservation Value area, based on both consultations with the local authorities (e.g. protected areas such as national parks) AND existing international sources of information such as the World Database on protected planets (IUCN, UNEP)<sup>[4]</sup> , the Ramsar list of wetlands<sup>[5]</sup> , and the United Nations list of protected areas<sup>[6]</sup> . The outcome of the assessment shall be provided in the documentation submitted for preliminary review.

2. Unless already addressed satisfactorily as part of an existing Environmental and Social Impact Assessment (ESIA), the opinion of an independent, relevant expert(s) shall be provided at a minimum on all of the following issues (the opinion may be that an issue is not relevant for the considered project, but evidence must be provided in support of it) :

- (a) Are there any competing uses of water resources at the project location, of what nature and how severe are they? Convincing evidence must be provided that the hydropower project does not divert water from other current users or that these are in agreement with the shift of use. The expert opinion must be provided on time for validation, and be reflected in the Monitoring Plan for verification along the crediting period.
- (b) What minimal ecological flow shall be complied with at any point in time, accounting for the specificities of local ecosystems and for seasonality? What quality assurance and control procedures shall be put in place for an appropriate continuous monitoring over the crediting period? The expert opinion shall be provided in time for validation.
- (c) Is the groundwater level seriously affected by the hydropower project? What quality assurance and control procedures shall be put in place for an appropriate continuous monitoring over the crediting period? The expert opinion shall be provided in time for validation.
- (d) Is the design of the fish passages and screens (water intake structure) installed in line with internationally recognised guidance? The expert opinion shall be provided in time for validation. Are these measures indeed effective over the crediting period, and if not what shall be done to improve the situation? The expert opinion shall be provided in time for verification.
- (e) What sediment management plan shall be considered? The expert opinion shall be provided in time for validation. Is it indeed effective over the crediting period, and if not how shall it be improved? The expert opinion shall be provided in time for verification.
- (f) What mitigation measures shall be put in place to prevent soil erosion? The expert opinion shall be provided in time for validation. Are they effective and if not, what complementary action shall be taken? The expert opinion shall be provided in time for verification.

3. Besides the issues listed above, the expert(s) is free to include any other issue that they identify as being relevant for the project. Project developers have the opportunity to provide their views on the identified issues and their relevance as part of the report to be delivered by the expert in the context of a Memorandum of Understanding (MoU) signed between The Gold Standard, the Project Representatives and the independent expert. For regular cycle projects, the independent expert(s) shall be invited to the Stakeholder Consultation and will identify the list of issues for which an independent expert opinion will be needed on time for validation and/or verification.

4. This list is approved by The Gold Standard as part of the review of the stakeholder consultation report. For retroactive projects, a Detailed Preliminary

Review shall be conducted and the independent expert(s) shall be contracted on time to deliver as part of the documentation submitted for preliminary review the list of issues for which an independent expert opinion will be needed on time for validation and/or verification. This list is reviewed and potentially approved by The Gold Standard as part of the preliminary review.

5. Project Developer shall plan for, and conduct a one-day training for the hydropower plant staff on the different issues identified by the independent expert. This training shall be included in the Monitoring & Reporting Plan.
4. Project developers shall plan for, and conduct a one-day training for the hydropower plant staff on the different issues identified by the independent expert. This training must be included in the Monitoring & Reporting Plan.
5. The Gold Standard Foundation will evaluate on a case-by-case basis the eligibility of hydropower activities with an installed capacity greater than 20 MW<sub>el</sub> at the time of preliminary review. This 20 MW<sub>el</sub> capacity threshold shall apply to each one of the project activities as part of a bundle, and not to the overall bundle, and to each one of the CPA/VPA as part of a PoA. The project developer shall provide the following additional information as part of the documentation to be reviewed:
  6. A Stakeholder Consultation Report, in accordance with the relevant guidelines for a Stakeholder Consultation. For project activities involving existing dams (such as dams built for irrigation purposes), the stakeholder consultation shall include a site-visit by local stakeholders taking part in the consultation.
  7. A report ('Compliance Report') showing that the project is in compliance with the latest WCD guidelines<sup>[7]</sup>, validated by a GS-VVB.

## **Project activity using biomass resources**

1. Project activities making use of non-renewable biomass resources shall NOT be eligible for Gold Standard registration. Project developers shall therefore provide convincing evidence that the project activities make use of renewable biomass resources<sup>[8]</sup>. These criteria shall be monitored along the crediting period and therefore be included in the Sustainability Monitoring Plan.
2. Project activities expected to make use of biomass resources already in use shall NOT be eligible for Gold Standard registration unless convincing evidence is provided showing that the current users are in agreement with the envisioned shift of use (potential leakage associated to such a shift must be taken into account). In the absence of such an agreement, Project Developers shall demonstrate that their project activity makes use of surplus biomass for each type of biomass resources used<sup>[9]</sup>. They must do so once, ex-ante on time for validation for small-scale project activities (installed capacity upto 15 MW<sub>el</sub> or 45 MW<sub>th</sub>), and in time for validation and for each one of the verifications (inclusion in the Sustainability Monitoring Plan) for project activities greater than 15 MW<sub>el</sub> or 45 MW<sub>th</sub>.

3. Project Developers shall demonstrate that their project will only make use of degraded land<sup>[10]</sup> and shall include this criterion in the Sustainability Monitoring Plan to ensure there is no diversion of land from other essential purposes like food production. Two exceptions may be considered: convincing evidence is provided showing that the envisioned energy crop is part of a traditional rotational cropping, OR an increase of the productivity is obtained, locally and to the benefit of the current users, through measures implemented in the context of the activity so as to at a minimum compensate for the part of the land newly allocated to growing the energy crop. Compliance with these criteria above must be monitored over the crediting period and thus be part of the Sustainability Monitoring Plan.
4. Activities making use of GMOs shall declare so in a transparent way. Local stakeholder's opinion on GMOs shall prevail and appropriate mitigation measures shall be put in place to address their concerns, if any, in a satisfactory way.
5. Avoidance of methane from biomass decay shall be eligible as long as biomass is used as a substitution for non-renewable fuels in project activities delivering energy services or for the production of usable product with sustainable development benefits (e.g. composting).
6. The use of non-renewable fuel in biomass heat and/or electricity generation plants is authorised as long as the renewable fuel share reaches 50%<sup>[11]</sup> after the first 3 years<sup>[12]</sup> of operation for retrofit projects, and represents 80%<sup>[4]</sup> from the outset for Greenfield projects.
7. The eligibility of project activities making use of Palm oil and/or palm oil mill by-products or residues for electricity and/or heat generation, and/or for biofuel production shall be evaluated on a case-by case basis by The Gold Standard Foundation, at the time of preliminary review. The project developers shall provide the following on top of the usual project documentation:
8. A Stakeholder Consultation Report, in accordance with the guidelines for conducting a Local Stakeholder Consultation, and provided as part of the documentation to be reviewed at the time of the preliminary review.
9. A report ('Compliance Report') showing that the project is in compliance with the latest version of the Roundtable on Sustainable Palm Oil guidance document on Principles and Criteria for Sustainable Palm Oil Production<sup>[13]</sup> (including the national interpretations), validated by a GS-VVB, and provided as part of the documentation to be reviewed at the time of the registration review. Project Developers must demonstrate that they have started the process for RSPO compliance at the time of preliminary review. If the project is located in a country where a national interpretation of the RSPO principles has not been established and approved by the RSPO, compliance shall be established against the international RSPO Criteria. In such a case, the certification body must develop local indicators through a consultative process, available in the local language.

## **Project activity using Biogas (landfill gas and biogas from agro-processing, wastewater and other residues)**

1. Methane recovery project activities shall be eligible for emission reductions from both methane avoidance (including from the flared biogas fraction) and non-renewable fuel substitution as long as evidence is provided on time for validation to demonstrate that the system was designed in a way to at least make use of some of the biogas recovered for the delivery of energy services (e.g. electricity, heat).
2. Methane recovery project activities at wastewater treatment plants related to Palm Oil production shall comply with all rules provided for palm oil related activities provided in this document.

## **Project activity using Waster Heat/Gas recovery**

1. Project activities involving waste heat recovery in industrial processes shall be eligible for emission reductions related to on-site energy consumption. Emission reductions related to the export of heat or electricity generated from the waste heat shall NOT be eligible unless it can be shown that the primary and unique source of energy for the industrial process is renewable energy. This requirement applies on an annual basis and the electricity generation profile does not have to necessarily match the on-site demand profile on an instantaneous basis.
2. Project activities involving the use of waste gases recovery in industrial processes shall be eligible for emission reductions related to on-site energy consumption. Emission reductions related to the export of heat or electricity generated from the waste gases recovered shall NOT be eligible unless it can be shown that the primary and unique source of energy for the industrial process is renewable energy. This requirement applies on an annual basis and the electricity generation profile does not have to necessarily match the on-site demand profile on an instantaneous basis. Emissions from the combustion of the recovered gases shall of course be taken into account in the calculation of project emissions.

## **Fossil co-generation**

1. Fossil-fired co-generation project activities shall be eligible for emission reductions from end-use energy efficiency improvements, i.e. related to on-site energy consumption. Emission reductions related to the export of heat or electricity generated from the waste heat recovered shall NOT be eligible. This requirement applies on an annual basis and the electricity generation profile does not have to necessarily match the on-site demand profile on an instantaneous basis.

## **Waste incineration and gasification**

1. Co-firing of non-renewable and renewable waste within incineration or gasification facilities shall NOT be eligible under Gold Standard.

## Waste handling and disposal

1. Project activities planning to make use of waste materials that are already in use in the pre-project situation shall NOT be eligible unless convincing evidence is provided to show that the current users are in agreement with the shift of use resulting from the project. In the absence of such an agreement, the Project Developers shall demonstrate that the project activity makes use of surplus waste materials<sup>[14]</sup> and shall include this analysis in the Sustainability Monitoring Plan. They must do so once, ex-ante on time for validation for small-scale projects (installed capacity upto 15 MW<sub>el</sub> or 45 MW<sub>th</sub>), and in time for validation and for each one of the verifications (inclusion in the Sustainability Monitoring Plan) for projects greater than 15 MW<sub>el</sub> or 45 MW<sub>th</sub>.